

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"class processor" "coprocessor" public private

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 122 for "**class processor**" "**coprocessor**" **public private protected memory**. (0.37 seconds)

[PDF] [Towards Tiny Trusted Third Parties](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **coprocessor** is attached to a host computer, which provides storage, ... Tiny secure **memory** The TTP has space to read in and operate on only a constant ...

www.cs.dartmouth.edu/~sws/pubs/TR2005-547.pdf - [Similar pages](#)

[PDF] [Enscript Output](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

protected CoffSection sections[]; **private** static final int headerLength = 20; ... @return the number of pages of physical **memory**. */. **public** int ...

www-inst.eecs.berkeley.edu/~cs162/hand-outs/nachos-java-reader.pdf - [Similar pages](#)

[PS] [School of Computer ScienceCarnegie Mellon University Pittsburgh ...](#)

File Format: Adobe PostScript - [View as HTML](#)

In both approaches, integrity is **protected** by binding the output back to a ... a message digest is normally signed with a **private** key of a **public** key ...

www.pdl.cmu.edu/PDL-FTP/NASD/CMU-CS-98-182.ps - [Similar pages](#)

[P n. See peta-. P5 n. Intel Corporation's internal working name ...](#)

a fixed-size block of **memory**. When used in the context of a paging **memory** ... Acronym for **private** Branch Exchange. an automatic telephone switching system ...

www.parkland.sd63.bc.ca/library/Book/p.htm - 183k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[PDF] [jopdesign.com/thesis/thesis.pdf](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[PDF] [www.cyberflex.com/Support/Documentation/SDKGuide_4...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[PDF] [Cyberflex Access](#)

File Format: PDF/Adobe Acrobat

... 0012 — Reserved ID for **private** key file ... PKI — **Public** Key Infrastructure ... PRO —

Protected command mode (Cryptoflex access condition) ...

www.cyberflex.com/SDKGuide_4-2.pdf - Supplemental Result - [Similar pages](#)

[[More results from www.cyberflex.com](#)]

[PDF] [www.classiccmp.org/transputer/software/oses/virtuo...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[-*-BibTeX ...](#)

Thanks to {OS/2}'s new **memory** architecture, you no longer have to squeeze ... WTL4167

math **coprocessor**", numericalindex = "Frequency 3.3E+07 Hz; **Memory** size ...

elib.cs.sfu.ca/Collections/CMPT/MajorBibs/beebe-bib/byte1990.bib - 513k -

[Cached](#) - [Similar pages](#)

Sponsored Links

Public Protection Class

Find Solutions for Your Business.

Free Reports, Info. & Registration!

www.KnowledgeStorm.com


Chronology of Events in the History of Microcomputers Copyright (C ...

It uses a 16-bit data bus, 134000 transistors, and offers **protected** mode ... It features an 8088 processor, optional 8087 math **coprocessor**, 192KB RAM, ...
security-protocols.com/library/ phreaking/ComputerHistory.txt - 311k -
[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Go o o o o o o o o o g l e ▶

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	735	703/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:15
L2	9971	"716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:15
L3	157	719/312.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:16
L4	1786	709/213-216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:16
L5	0	((host core main controll\$3) adj2 processor with (communication\$3 adj2 (infrastructure structure))) and (((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) same (public near3 memory) same (private near3 memory) same (protected near3 memory)) and ((program\$3 adj2 interface\$1) near6 processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:21
L6	0	((host core main controll\$3) adj2 processor with (communication\$3 adj2 (infrastructure structure))) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and (public near3 memory) and (private near3 memory) and (protected near3 memory) and ((program\$3 adj2 interface\$1) near6 processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:22
L7	5	((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and (public near3 memory) and (private near3 memory) and (protected near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:27

L8	0	((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and (public near3 memory near5 processor\$1) and (private near3 memory near5 processor\$1) and (protected near3 memory near5 processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:28
L9	0	((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and (public near6 memory with processor\$1) and (private near6 memory with processor\$1) and (protected near6 memory with processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:28
L10	579	((partition\$3 devid\$3) near5 (application\$1 program\$1) near6 (message\$1 function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:30
L11	21	10 and ((host core main controll\$3) adj2 processor\$1 with communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:30
L12	110	10 and ((host core main controll\$3) adj2 processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:31
L13	1	12 and (processor\$1 near5 (comm\$8 near3 (structure\$1 infra\$1structure)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:32
L14	0	1 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:32
L15	2	2 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:33
L16	7	12 and (((public private protected) near4 memory) with processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:34

L17	0	12 and (public near4 memory) and (private near4 memory) and (protected near4 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:35
L18	0	3 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:35
L19	2	4 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 09:35